accol	rding to Re					
Article		146XXX	Effekt Wax		GB	
Print da Versio		04.07.2023 2.7	Revision date: 2 Issue date: 27.0		Page 1 / 7	Seit 1892
SECT	FION 1: Ide	entification of	the substance/mi	xture and of the compa	ny/undertaking	
1.1.	Product id	lentifier				
		(manufacturer/su	pplier)	146XXX		
	Trade nam	e/designation		Effekt Wax all colours and forms		
1.2.	1.2. Relevant identified uses of the substance or mixture and uses advised against					
		dentified uses Irface repair				
1.3.	Details of	the supplier of t	ne safety data shee	et		

1.3.	1.3. Details of the supplier of the safety data sheet			
	Manufacturer/supplier			
	Heinrich König GmbH & Co. KG			
	An der Rosenhelle 5	Telephone: +49 (0)6101 5360 0		
	61138 Niederdorfelden	Telefax: +49 (0)6101 5360 11		
	Germany	E-mail: Info@heinrich-koenig.de		
		Website: www.heinrich-koenig.de		
	Department responsible for information:			
	Laboratory	Telephone: +49 (0)6101 5360 71		
	Only available during office hours:	Mon - Thurs 08:00 to 16:00		
		Friday 08:00 - 12:30		
	E-mail (competent person)	SDB@heinrich-koenig.de		
1.4.	Emergency telephone number	-		
	Emergency telephone number	Emergency CONTACT (24-Hour-Number): GBK		
		GmbH +49 (0)6132-84463		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms

Hazard statements

not determined

Precautionary statements

P280 Wear protective gloves and eye/face protection.

Hazard components for labelling

not determined Supplemental hazard information EUH210 Safety data sheet available on request. EUH212

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description	Thermoplastic fillers			
Classification a	ccording to Regulation (EC) No 1272/2008 [CLP]			
EC No.	REACH No.			
CAS No.	Designation	weight-%		
Index No.	classification: // Remark			

Effect + 1 A/ - . .



Article No.: Print date: Version:	146XXX 04.07.2023 2.7	Revision date: 27.06.2023 Issue date: 27.06.2023	GB Page 2 / 7	Seit 1892
236-675-5 13463-67-7 022-006-00	titaniu)-2 aerod	19489379-17-xxxx ım dioxide [in powder form containing ynamic diameter ≤ 10 μm] 2 H351	g 1 % or more of particles wit	h 10 < 20

Additional information

Autola Nia .

Full text of classification: see section 16

4 403/3/1

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

The melted product can cause severe burns. After contact with molten product, cool skin area rapidly with cold water.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

- 6.3. **Methods and material for containment and cleaning up** Allow stiffening. Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.
- 6.4. **Reference to other sections** Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal



Article No.: Print date: Version:	146XXX 04.07.2023 2.7	Effekt Wax Revision date: 27.06.2023 Issue date: 27.06.2023	GB Page 3 / 7	Seit 18
version.	2.1	1350e date: 27:00:2025	Tage 577	

protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO).

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not determined

DNEL:

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

DNEL long-term inhalative (local), Workers: 10 mg/m³

DNEL long-term oral (repeated), Consumer: 700 mg/kg

PNEC:

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

PNEC aquatic, freshwater: 0,127 mg/L

PNEC aquatic, marine water: 1 mg/L

PNEC aquatic, intermittent release: 0,61 mg/L

PNEC sediment, freshwater: 1000 mg/kg

PNEC sediment, marine water: 100 mg/kg

PNEC, soil: 100 mg/kg

PNEC sewage treatment plant (STP): 100 mg/L

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device (full mask or mouthpiece) with filter: ABEK-P2

Hand protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection

Body protection

Wear suitable protective clothing, e.g. from cotton wool or heat resistent synthetic fiber.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical	state:
Colour:	

solid refer to label



Article Print o Versio	date:	146XXX 04.07.2023 2.7	Effekt Wax Revision date Issue date: 2		GB Page 4 / 7	Seit 1892
	Odour:			odourless		
	Odour th	nreshold:		not determined		
	Melting	point/freezing poin	t:	not determined		
	Initial bo	oiling point and boi	ling range:	not determined		
	Flammal	bility:		not determined		
	Lower a	nd upper explosio	n limit:			
		explosion limit:		not applicable		
	Upper of	explosion limit:		not applicable		
	Flash po	pint:		not applicable		
	Auto-ign	ition temperature:		not determined		
	Decomp	osition temperatur	e:	not determined		
	pH at 20	°C:		not applicable		
	Viscosit	yat°C:		solid		
	Solubilit Water s	y(ies): olubility at 20 °C:		insoluble		
	Partition	coefficient: n-octa	anol/water:	see section 12		
	Vapour j	pressure at 20 °C:		not applicable		
		and/or relative den at 20 °C:	sity:	1,07 g/cm³ Method: calculated.		
	Relative	vapour density:		not applicable		
	particle	characteristics:		not applicable		
9.2.	Other in	formation				
	Solid co	ntent:		100,00 weight-%		
	solvent Organi Water:	content: c solvents:		0 weight-% 0 weight-%		

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials Oxidising agent, strong

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] oral, LD50, Rat: > 5000 mg/kg Method: OECD 425



Article Print c Versic	date:	146XXX 04.07.2023 2.7	Effekt Wax Revision date: 27.06.2023 Issue date: 27.06.2023	GB Page 5 / 7	2
		D50, Rabbit: > 500			
			C50, Rat: > 6,8 mg/L (4 h)		
			erious eye damage/eye irritation		
			classification criteria are not met.		
	-	y or skin sensitis			
			classification criteria are not met.		
			ty, mutagenicity and toxicity for repr		
	Carcinoge		rm containing 1 % or more of particles er if inhaled.	with aerodynamic diameter ≤ 10 µmj	
	STOT-sing	le exposure; STO)T-repeated exposure		
	Based on a	vailable data, the	classification criteria are not met.		
	Aspiration	hazard			
	Based on a	vailable data, the	classification criteria are not met.		
	Overall as	sessment on CMF	R properties		
	-			ion as CMR category 1A or 1B according to CL	LP.
11.2.	Informatio	n on other hazard	ls		
		disrupting prope tion available.	rties		
SEC	TION 12: E	cological inform	nation		
		•	egulation (EC) No 1272/2008 [CLP] face water or drains.		
12.1.	Toxicity				
	Fish toxic Daphnia t Algae toxi	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud	rm containing 1 % or more of particles ales promelas (fathead minnow): > 100 whnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D)	0 mg/L (96 h) /L (48 h)	
	Fish toxic Daphnia t Algae toxi Bacteria t	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud	ales promelas (fathead minnow): > 100 hnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (0 mg/L (96 h) /L (48 h)	
	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D) ailable.	0 mg/L (96 h) /L (48 h)	
12.2.	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Persistenc	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D) ailable. ity	0 mg/L (96 h) /L (48 h)	
	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Persistenc Toxicologic Bioaccum	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabil	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (ivated sludge: > 100000 mg/L (28 D) ailable. ity ailable.	0 mg/L (96 h) /L (48 h)	
	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Persistenc Toxicologic Bioaccum Toxicologic	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabil i al data are not ava ulative potential	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D) ailable. ity ailable.	0 mg/L (96 h) /L (48 h)	
12.3.	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Bioaccum Toxicologic Bioconcen Toxicologic	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabil i al data are not ava ulative potential al data are not ava tration factor (BC) al data are not ava	ales promelas (fathead minnow): > 100 bhnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (iivated sludge: > 100000 mg/L (28 D) ailable. ity ailable. CF)	0 mg/L (96 h) /L (48 h)	
12.3.	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Persistenc Toxicologic Bioaccum Toxicologic Bioconcen Toxicologic Bioconcen	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabil i al data are not ava ulative potential al data are not ava tration factor (BC) al data are not ava	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D) ailable. ity ailable. cF) ailable.	0 mg/L (96 h) /L (48 h)	
12.3. 12.4.	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Bioaccum Toxicologic Bioconcen Toxicologic Bioconcen Toxicologic Mobility in Toxicologic Results of	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabil al data are not ava ulative potential al data are not ava tration factor (BC al data are not ava soil al data are not ava PBT and vPvB as	ales promelas (fathead minnow): > 100 bhnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (iivated sludge: > 100000 mg/L (28 D) ailable. ity ailable. cF) ailable. ssessment	0 mg/L (96 h) /L (48 h) 72 h)	
12.3. 12.4. 12.5.	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Bioaccum Toxicologic Bioaccum Toxicologic Bioconcen Toxicologic Mobility in Toxicologic Results of The substa	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabili al data are not ava ulative potential al data are not ava tration factor (BC al data are not ava soil al data are not ava soil al data are not ava soil al data are not ava soil al data are not ava	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D) ailable. ity ailable. cF) ailable. ailable. e do not meet the PBT/vPvB criteria ac	0 mg/L (96 h) /L (48 h) 72 h)	
12.3. 12.4. 12.5.	Fish toxic Daphnia t Algae toxi Bacteria t Long-term Toxicologic Bioaccum Toxicologic Bioconcen Toxicologic Bioconcen Toxicologic Mobility in Toxicologic Results of The substa Endocrine	ity, LC50, Pimepha oxicity, EC50, Dap city, ErC50, Pseud oxicity, NOEC, Act Ecotoxicity al data are not ava e and degradabil al data are not ava ulative potential al data are not ava tration factor (BC al data are not ava soil al data are not ava PBT and vPvB as	ales promelas (fathead minnow): > 100 ohnia magna (Big water flea): > 100 mg dokirchneriella subcapitata: 16 mg/L (tivated sludge: > 100000 mg/L (28 D) ailable. ity ailable. cF) ailable. ailable. e do not meet the PBT/vPvB criteria ac	0 mg/L (96 h) /L (48 h) 72 h)	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



Article Print d Versio	late:	146XXX 04.07.2023 2.7	Effekt Wax Revision date: 27.06.2023 Issue date: 27.06.2023	GB Page 6 / 7	Seit 1892
	List of pro 080410		les/waste designations in accordance adhesives and sealants other than thos		
	Recomme		kage may be recycled. Packing which canno	t be properly cleaned must be	e disposed of.
SEC	TION 14: 1	Fransport inform	nation		
	ICAO/IAT/	A).	ed as dangerous according to interna se of this transport regulation.	tional transport regulations	(ADR/RID, IMDG,
14 1	-	er or ID number			
	ert name.		not determined		
14.2.	UN prope	r shipping name			
14.3.	Transport	hazard class(es)			
			not determined		
14.4.	Packing g	roup	not determined		
14.5.	Environm	ental hazards			
	Land trans	port (ADR/RID)	not determined		
	Marine pol	lutant	not determined		
14.6.	Special pr	ecautions for use	er		
	case of an	always in closed, u accident or leaka@ n safe handling: se		hat persons transporting the p	product know what to do in
	Further in	formation			
	Land trans	sport (ADR/RID)			
	Tunnel res	triction code	-		
	Sea trans	port (IMDG)			
	EmS-No.		not determined		
14.7.	Maritime t	ransport in bulk a	according to IMO instruments		
	No transpo	ort as bulk accordir	ng IBC - Code.		
SEC	TION 15: F	Regulatory infor	mation		
15.1.	Safety, he	alth and environr	nental regulations/legislation specific	; for the substance or mixtu	re
	EU legisla	tion			
	Directive 2 VOC-value		dustrial emissions [Industrial Emissio	ns Directive]	
	National r	egulations			
	Observe e		ions under the Maternity Protection Dire byment for juveniles according to the 'juv		
	Other reg	ulations, restriction	ons and prohibition regulations		
	Substance DSL listed	•	n the following inventories:		

TSCA listed

REACH candidate list of substances of very high concern (SVHC) for the approval process.

According to the available data and / or according to the information provided by the suppliers, the product does not contain any substance that is eligible for inclusion in Annex XIV (list of substances subject to authorization) in accordance with Article 57 in conjunction with Article 59 of REACH.

Regulation (EC) 1907/2006. material in question applies.Regulation (EC) 1907/2006 (REACH) Annex XIV (list of substances subject to authorization)



Article No.: Print date: Version:	146XXX 04.07.2023 2.7	Effekt Wax Revision date: 27.06.2023 Issue date: 27.06.2023	GB Page 7 / 7	Seit 1892

According to the available data and / or according to the information provided by the suppliers, the product does not contain any substance that is considered to be a substance that requires authorization according to REACH Regulation (EC) 1907/2006 Annex XIV.

Regulation (EC) 1907/2006 (REACH) Annex XVII: Restriction on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

According to the available data and / or according to the information provided by the suppliers, the product does not contain any substance that leads to a restriction of the product according to REACH Regulation (EC) 1907/2006 Annex XVII.

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
236-675-5	titanium dioxide [in powder form containing 1 % or more of particles	01-2119489379-17-xxxx
13463-67-7	with aerodynamic diameter ≤ 10 µm]	

SECTION 16: Other information

Full text of classified	cation in section 3	
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer if inhaled.
Abbreviations and	acronyms	
ADR		ernational Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value	
BLV	Biological Limit Value	
CAS	Chemical Abstracts Service	
CLP	Classification, Labelling and Packaging	
CMR	Carcinogenic, Mutagenic and Reprotoxic	
DIN	German Institute for Standardization / Ge	erman industrial standard
DNEL	Derived No-Effect Level	
EAKV	European Waste Catalogue Directive	
EC	Effective Concentration	
EC	European Community	
EN	European Standard	
IATA-DGR	International Air Transport Association –	
IBC Code		nd Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	•	Technical Instructions for the Safe Transport of Dangerous
	Goods by Air	va Caada
IMDG Code	International Maritime Code for Dangerou	
ISO	International Organization for Standardiz	allon
LC LD	Lethal Concentration	
MARPOL	Lethal Dose	vention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation a	
PBT	persistent, bioaccumulative, toxic	
PNEC	Predicted No Effect Concentration	
REACH	Registration, Evaluation, Authorisation ar	nd Restriction of Chemicals
RID	Regulations concerning the International	
UN	United Nations	Carriage of Dangerous Coous by Main
VOC	Volatile Organic Compounds	
vPvB	very persistent and very bioaccumulative	

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version